

## PECUNIA PROM-MH COMPENDIUM

VERSION: 1.1, last update: 25 November 2025

### NAVIGATION

[PROMs \(v. 1.0, 4 Feb 2020\)](#)

[Browse by Category \(v. 1.0, 4 Feb 2020\)](#)

[PROMs update \(v. 1.1, 21 Sept 2023\)](#)

The PECUNIA Patient-Reported Outcome Measure-Mental Health Compendium (PECUNIA PROM-MH Compendium, v. 1.0, 4 Feb 2020) is a Microsoft Excel®-based electronic library of non-disease-specific PROMs used in mental health research. It provides **metadata information about existing, publicly available generic PROMs** suitable for use in (mental) health research and their applicability in **multi-sectoral, multi-national and multi-person (economic) evaluations**. The PECUNIA PROM-MH Compendium v. 1.0 was developed by the Department of Health Economics, Center for Public Health, Medical University of Vienna as part of the Horizon 2020 research project PECUNIA (Programmatic, Costing, resource use measurement and outcome valuation for Use in multi-sectoral National and International health economic evaluations - GA No 779292). In terms of outcome assessment, the project aimed for harmonisation in multi-national, multi-sectoral and (where relevant) multi-person economic evaluations by addressing cross-country variations in utility measurement and harmonising methods for broader wellbeing measurement, among others.

The **methodology** of deriving PROMs and their metadata included in the PROM-MH Compendium (v.1.0) followed a two-step process. Firstly, a **systematic literature review** was conducted on 4 February 2020 in five bibliographic databases from January 2008 until February 2020 to identify relevant **non-disease-specific PROMs used in mental health research** for the measurement of quality of life/wellbeing, or recovery. Secondly, **secondary searches** in PubMed and Google were conducted to acquire the most up-to-date PROM metadata. Metadata information was searched in scientific articles, instrument manuals, and web-based sources (e.g. questionnaire websites).

The PECUNIA PROM-MH Compendium v. 1.0 consists of **204 unique instruments (PROMs)** alongside their comprehensive metadata and is browsable according to main PROM characteristics. The tab "PROMs (v. 1.0, 4 Feb 2020)" lists instruments in alphabetical order. The "Browse by Category (v. 1.0, 4 Feb 2020)" tab redirects users to the list of PROMs with desired characteristics. Each PROM identified in the systematic literature review (as of 4 Feb 2020) is described in detail in the separate worksheets.

Information about each instrument is organised in **five sections**:

- 1) **BASIC CHARACTERISTICS** (information on the year of publication, country (language) of origin, number of items, administration mode, other language versions, etc.)
- 2) **SCORING** (information on level-sum scoring, standardised scoring, weighted, preference-based scoring, availability of preference-based value sets, availability of mapping studies, etc.)
- 3) **AVAILABILITY OF VALIDATION STUDIES IN MENTAL HEALTH** (information about the availability of validation studies for different mental health disorders)
- 4) **APPLICATION IN MULTI-SECTORAL, MULTI-NATIONAL, MULTI-PERSON (ECONOMIC) EVALUATIONS** (information on whether an instrument: i) has separate adult and child/adolescent versions available, ii) has a proxy-completion option available, iii) assesses outcomes beyond health-related quality of life, i.e. capabilities, iv) has multiple language versions available, v) has a preference-based value set available, and vi) has a preference-based value set available in more than one country)
- 5) **OTHER** (link to the manual and terms of use, if available for the specific instrument).

The **PECUNIA PROM-MH Compendium update (v. 1.1)**, completed in November 2025, incorporates findings from a systematic literature review update conducted on 21 September 2023, which covered the period from February 2020 to September 2023. The review identified additional PROMs as of 21 September 2023, which are listed in the "PROMs update (v.1.1)" tab. The update also included specific information on instruments available in German, which is available in the new "German versions" tab.

**Contact information/feedback:** Medical University of Vienna at [pecunia@meduniwien.ac.at](mailto:pecunia@meduniwien.ac.at)

**Cite as:** Łaszewska A, Helter H, Perić J, Simon J. PECUNIA PROM-MH Compendium. Version 1.1; 25 Nov 2025. DOI: 10.5281/zenodo.5037081

**Disclaimer:** Although the developers have taken every precaution in the compilation of the PECUNIA PROM-MH Compendium, they disclaim any liability, responsibility or warranty for the contents and its use with respect to its correctness, quality, accuracy or completeness.



SAMPLE COPY FOR REVIEW



[Back to Start](#)

- Search alphabetically
- [1-9](#)
  - [A-D](#)
  - [E-H](#)
  - [I-L](#)
  - [M-P](#)
  - [Q-T](#)
  - [U-Z](#)

## List of all PROMs

1-9	
<a href="#">15D</a>	15D instrument of health-related quality of life
<a href="#">16D</a>	16D instrument of health-related quality of life
<a href="#">17D</a>	17D instrument of health-related quality of life
<a href="#">5F-Wel Adult (FFWEL)</a>	Five Factor Wellness Evaluation of Lifestyle
<a href="#">5F-Wel Elementary (FFWEL)</a>	Five Factor Wellness Evaluation of Lifestyle
<a href="#">5F-Wel Teen (FFWEL)</a>	Five Factor Wellness Evaluation of Lifestyle
A-D	
<a href="#">ACQ-CMH</a>	(Achieved) Capabilities Questionnaire for Community Mental Health
<a href="#">AC-QoL</a>	Adult Carer Quality of Life
<a href="#">AHUM</a>	Adolescent Health Utility Measure
<a href="#">AQoL-4D</a>	Assessment of Quality of Life Scale
<a href="#">AQoL-6D</a>	Assessment of Quality of Life (AQoL)-6D
<a href="#">AQoL-7D</a>	Assessment of Quality of Life (AQoL)-7D
<a href="#">AQoL-8D</a>	Assessment of Quality of Life (AQoL)-8D
<a href="#">AQOL-MHS</a>	Adolescent Quality of Life-Mental Health Scale
<a href="#">ASCOT – Easy Read</a>	Easy Read Version of the Adult Social Care Outcomes Toolkit
<a href="#">ASCOT – Proxy</a>	Proxy-report version of the Adult Social Care Outcomes Toolkit
<a href="#">ASCOT-Carer</a>	Carer Version of Adult Social Care Outcomes Toolkit
<a href="#">ASCOT-SCT4</a>	Adult Social Care Outcomes Toolkit
<a href="#">AUQUEI</a>	Pictured Child's Quality of Life Self Questionnaire (In French: Autoquestionnaire de qualité de vie enfant imagé)
<a href="#">BBC-SWB</a>	BBC Subjective Well-Being Scale
<a href="#">BELP</a>	Berliner Lebensqualitätsprofil (German version of the Lancashire Quality of Life Profile)
<a href="#">BELP-KF</a>	Short form of Berliner Lebensqualitätsprofil
<a href="#">Cantril Ladder</a>	Cantril's Self-Anchoring Ladder of Life Satisfaction
<a href="#">CA-QOL</a>	California Quality of Life
<a href="#">CarerQoL</a>	Carer-related Quality of Life instrument
<a href="#">CASP-12</a>	Control, Autonomy, Self-realisation and Pleasure scale-short
<a href="#">CASP-19</a>	Control, Autonomy, Self-realisation and Pleasure scale
<a href="#">CDC HRQOL-14</a>	Center for Disease Control and Prevention Health-Related Quality of Life Measure
<a href="#">CHIP-AE</a>	Child Health and Illness Profile – Adolescent Edition
<a href="#">CHIP-CE</a>	Child Health and Illness Profile – Child Edition
<a href="#">CHIP-CE (parent)</a>	Child Health and Illness Profile Child-Edition, Parent Report Form
<a href="#">CHQ-CF45</a>	Child Health Questionnaire-Child Form 45
<a href="#">CHQ-CF87</a>	Child Health Questionnaire-Child Form 87
<a href="#">CHQ-PF28</a>	Child Health Questionnaire-Parent Form 28
<a href="#">CHQ-PF50</a>	Child Health Questionnaire-Parent Form 50
<a href="#">CHRIs</a>	Child Health Rating Inventories
<a href="#">CHSCS-PS</a>	Comprehensive Health Status Classification System – Preschool

SAMPLE COPY - DO NOT USE



[Back to Start](#)

## Browse by Category

Type of measure

- [Generic](#)
- [Designed for mental health](#)

Main outcome measured

- [QOL/Well-being](#)
- [Recovery](#)

Age target group

- [Children](#)
- [Adolescents](#)
- [Adults and older adults](#)

Validated in mental health field

- [Yes](#)

Availability of translations

- [German translation available](#)

Application in multi-sectoral, multi-national, multi-person (economic) evaluations

Availability of separate adult and child/adolescents versions

- [Yes](#)

Availability of a proxy-completion option

- [Yes](#)

Feasibility of assessing outcomes beyond health, i.e. capabilities or carers' family or social care outcomes

- [Yes](#)

Availability of multiple translations (two or more language versions of the instrument)

- [Yes](#)

Availability of at least one preference-based value set

- [Yes](#)

SAMPLE COPY - DO NOT USE

Back

## Generic measures

<a href="#">15D</a>	15D instrument of health-related quality of life
<a href="#">16D</a>	16D instrument of health-related quality of life
<a href="#">17D</a>	17D instrument of health-related quality of life
<a href="#">5F-Wel Adult (FFWEL)</a>	Five Factor WellNess Evaluation of Lifestyle
<a href="#">5F-Wel Elementary (FFWEL)</a>	Five Factor WellNess Evaluation of Lifestyle
<a href="#">5F-Wel Teen (FFWEL)</a>	Five Factor WellNess Evaluation of Lifestyle
<a href="#">AC-QoL</a>	Adult Carer Quality of Life
<a href="#">AHUM</a>	Adolescent Health Utility Measure
<a href="#">AQoL-4D</a>	Assessment of Quality of Life Scale
<a href="#">AQoL-6D</a>	Assessment of Quality of Life (AQoL)-6D
<a href="#">AQoL-7D</a>	Assessment of Quality of Life (AQoL)-7D
<a href="#">AQoL-8D</a>	Assessment of Quality of Life (AQoL)-8D
<a href="#">ASCOT – Easy Read</a>	Easy Read Version of the Adult Social Care Outcomes Toolkit
<a href="#">ASCOT – Proxy</a>	Proxy-report version of the Adult Social Care Outcomes Toolkit
<a href="#">ASCOT-Carer</a>	Carer Version of Adult Social Care Outcomes Toolkit
<a href="#">ASCOT-SCT4</a>	Adult Social Care Outcomes Toolkit
<a href="#">AUQUEI</a>	Pictured Child's Quality of Life Self Questionnaire (In French: Autoquestionnaire de qualité de vie de l'enfant, imagé)
<a href="#">BBC-SWB</a>	BBC Subjective Well-Being Scale
<a href="#">Cantril Ladder</a>	Cantril's Self-Anchoring Ladder of Life Satisfaction
<a href="#">CA-QOL</a>	California Quality of Life
<a href="#">CarerQoL</a>	Care-related Quality of Life instrument
<a href="#">CASP-12</a>	Control, Autonomy, Self-realisation and Pleasure scale-short
<a href="#">CASP-19</a>	Control, Autonomy, Self-realisation and Pleasure scale
<a href="#">CDC HRQL-14</a>	Centers for Disease Control and Prevention Health-Related Quality of Life Measure
<a href="#">CHIP-AE</a>	Child Health and Illness Profile – Adolescent Edition
<a href="#">CHIP-CE</a>	Child Health and Illness Profile – Child Edition
<a href="#">CHIP-CE Parent</a>	Child Health and Illness Profile Child-Edition, Parent Report Form
<a href="#">CHQ-CF45</a>	Child Health Questionnaire-Child Form 45
<a href="#">CHQ-CF87</a>	Child Health Questionnaire-Child Form 87
<a href="#">CHQ-PF28</a>	Child Health Questionnaire-Parent Form 28
<a href="#">CHQ-PF50</a>	Child Health Questionnaire-Parent Form 50
<a href="#">CHRIs</a>	Child Health Rating Inventories
<a href="#">CHSCS-PS</a>	Comprehensive Health Status Classification System – Preschool
<a href="#">CHU9D</a>	Child Health Utility 9D
<a href="#">CLQI</a>	Children's Life Quality Index
<a href="#">COMPAS-W</a>	COMPAS-W 26-item scale of wellbeing
<a href="#">CQLI</a>	Client's Quality of Life Scale
<a href="#">CQOL</a>	Child Quality of Life Questionnaire
<a href="#">CS-Base</a>	Chateau Sante Base
<a href="#">DHP</a>	Duke health profile
<a href="#">DHP-8</a>	Duke health profile-8
<a href="#">DHP-A</a>	DUKE Health Profile—Adolescent Version
<a href="#">DISABKIDS Smiley TAKE 6</a>	DISABKIDS smiley questionnaire
<a href="#">DISABKIDS-37</a>	DISABKIDS Chronic Generic Module
<a href="#">EHRQL</a>	Exeter Health-Related Quality of Life Measure
<a href="#">EQ-5D-3L</a>	EuroQoL Five Dimensions 3L
<a href="#">EQ-5D-5L</a>	EuroQoL Five Dimensions 5L
<a href="#">EQ-5D-Y</a>	EuroQoL five dimensions questionnaire (youth)
<a href="#">EUROHIS-QoL</a>	8-item Quality of Life scale
<a href="#">FACT-SP</a>	Functional Assessment of Chronic Illness Therapy–Spiritual Well-Being Scale
<a href="#">FACT-SP-12</a>	Functional Assessment of Chronic Illness Therapy - Spiritual Well-Being
<a href="#">FLZ</a>	Fragen zur Lebenszufriedenheit (modules "General life satisfaction" and "Satisfaction with Health")
<a href="#">FMWB</a>	Family Member Well-Being Index

SAMPLE COPY - DO NOT USE

Back

## Mental health-specific measures

<a href="#">ACQ-CMH</a>	(Achieved) Capabilities Questionnaire for Community Mental Health
<a href="#">AQOL-MHS</a>	Adolescent Quality of Life-Mental Health Scale
<a href="#">BELP</a>	Berliner Lebensqualitätsprofil (German version of the Lancashire Quality of Life Profile)
<a href="#">BELP-KF</a>	Short form of Berliner Lebensqualitätsprofil - an interview-administered measure of quality of life in adults
<a href="#">CWS</a>	Carer well-being and support questionnaire
<a href="#">EFQ</a>	Everyday Feeling Questionnaire
<a href="#">LQoL Short</a>	Lehman's Quality of Life Interview Brief Version
<a href="#">LQoL</a>	Lehman's Quality of Life Interview
<a href="#">LQoL-TL-30</a>	Lehman Quality of Life Interview-Short Version (TL-30)
<a href="#">MHC-SF</a>	Mental Health Continuum Short Form Adult
<a href="#">MHRM</a>	Mental Health Recovery Measure
<a href="#">MHRM-10</a>	Mental Health Recovery Measure-Brief
<a href="#">Mini-SeRvE</a>	Mini-Service user Recovery Evaluation scale
<a href="#">MSQoL</a>	Modular System for Quality of Life
<a href="#">OQ-45</a>	Outcome Questionnaire 45
<a href="#">OxCAP-MH</a>	Oxford Capabilities Questionnaire - Mental Health
<a href="#">PROM</a>	Personal Recovery Outcome Measurement
<a href="#">PTQL</a>	Pictorial Thai Quality of Life
<a href="#">QLQ-IR</a>	Oregon Quality of Life Questionnaire - Interviewer rating version
<a href="#">QLQ-RSR</a>	Oregon Quality of Life Questionnaire - Respondent self-report version
<a href="#">QOLMD</a>	Quality of Life for Mental Disorders, Chinese
<a href="#">QoL-ME</a>	QoL-instrument for people with severe mental health problems
<a href="#">QPR</a>	Questionnaire about the Process of Recovery
<a href="#">RAS</a>	Recovery Assessment Scale
<a href="#">RAS-R</a>	Recovery Assessment Scale-revised
<a href="#">ReQoL-10</a>	Recovering Quality of Life-10
<a href="#">ReQoL-20</a>	Recovering quality of life
<a href="#">ReQuest-YP</a>	Recovery Questionnaire for Young People
<a href="#">RGPS</a>	Recovery Group Participation Scale
<a href="#">RPRS</a>	Recovery Promoting Relationships Scale
<a href="#">RSA</a>	Recovery Self-Assessment
<a href="#">RSA-B</a>	Recovery Self-Assessment-Brief
<a href="#">RSQ</a>	Recovery Style Questionnaire
<a href="#">SeRvE</a>	Service-user Recovery Evaluation
<a href="#">SOS-10</a>	Schwartz Outcome Scale (10-item scale)
<a href="#">SWN</a>	Scale to Measure Subjective Well-being under Neuroleptic Treatment
<a href="#">SWN-K</a>	Scale to Measure Subjective Well-being under Neuroleptic Treatment - short version
<a href="#">Tool</a>	Tolerability and quality Of Life
<a href="#">W-QOLI</a>	Wisconsin Quality of Life Index

SAMPLE COPY - DO NOT USE

Back

## Well-being/Quality of life measures

<a href="#">15D</a>	15D instrument of health-related quality of life
<a href="#">16D</a>	16D instrument of health-related quality of life
<a href="#">17D</a>	17D instrument of health-related quality of life
<a href="#">5F-Wel Adult (FFWEL)</a>	Five Factor Wellness Evaluation of Lifestyle
<a href="#">5F-Wel Elementary (FFWEL)</a>	Five Factor Wellness Evaluation of Lifestyle
<a href="#">5F-Wel Teen (FFWEL)</a>	Five Factor Wellness Evaluation of Lifestyle
<a href="#">ACQ-CMH</a>	(Achieved) Capabilities Questionnaire for Community Mental Health
<a href="#">AC-QoL</a>	Adult Carer Quality of Life
<a href="#">AHUM</a>	Adolescent Health Utility Measure
<a href="#">AQoL-4D</a>	Assessment of Quality of Life Scale
<a href="#">AQoL-6D</a>	Assessment of Quality of Life (AQoL)-6D
<a href="#">AQoL-7D</a>	Assessment of Quality of Life (AQoL)-7D
<a href="#">AQoL-8D</a>	Assessment of Quality of Life (AQoL)-8D
<a href="#">AQOL-MHS</a>	Adolescent Quality of Life-Mental Health Scale
<a href="#">ASCOT – Easy Read version</a>	Easy Read Version of the Adult Social Care Outcomes Toolkit
<a href="#">ASCOT – Proxy version</a>	Proxy-report version of the Adult Social Care Outcomes Toolkit
<a href="#">ASCOT-Carer</a>	Carer Version of Adult Social Care Outcomes Toolkit
<a href="#">ASCOT-SCT4</a>	Adult Social Care Outcomes Toolkit
<a href="#">AUQUEI</a>	Pictured Child's Quality of Life Self Questionnaire (In French: Autoquestionnaire de qualité de vie enfant image)
<a href="#">BBC-SWB</a>	BBC Subjective Well-Being Scale
<a href="#">BELP</a>	Berliner Lebensqualitätsprofil (German version of the Lancashire Quality of Life Profile)
<a href="#">BELP-KF</a>	Short form of Berliner Lebensqualitätsprofil – an interview-administered measure of quality of life in adults
<a href="#">Cantril Ladder</a>	Cantril's Self-Anchoring Ladder of Life Satisfaction
<a href="#">CA-QoL</a>	California Quality of Life
<a href="#">CarerQoL</a>	Carer-related Quality of Life instrument
<a href="#">CASP-12</a>	Control, Autonomy, Self-realisation and Pleasure scale-short
<a href="#">CASP-19</a>	Control, Autonomy, Self-realisation and Pleasure scale
<a href="#">CDC HRQOL-14</a>	Centers for Disease Control and Prevention Health-Related Quality of Life Measure
<a href="#">CHIP-AE</a>	Child Health and Illness Profile – Adolescent Edition
<a href="#">CHIP-CE</a>	Child Health and Illness Profile – Child Edition
<a href="#">CHIP-CE Parent</a>	Child Health and Illness Profile Child-Edition, Parent Report Form
<a href="#">CHQ-CF45</a>	Child Health Questionnaire-Child Form 45
<a href="#">CHQ-CF87</a>	Child Health Questionnaire-Child Form 87
<a href="#">CHQ-PF28</a>	Child Health Questionnaire-Parent Form 28
<a href="#">CHQ-PF50</a>	Child Health Questionnaire-Parent Form 50
<a href="#">CHRIs</a>	Child Health Rating Inventories
<a href="#">CHSCS-PS</a>	Comprehensive Health Status Classification System – Preschool
<a href="#">CHU9D</a>	Child Health Utility 9D
<a href="#">CLQI</a>	Children's Life Quality Index
<a href="#">COMPAS-W</a>	COMPAS-W 26-item scale of well-being
<a href="#">CQLI</a>	Client's Quality of Life Scale
<a href="#">CQOL</a>	Child Quality of Life Questionnaire
<a href="#">CS-Base</a>	Chateau Santé
<a href="#">CWS</a>	Carer well-being and support questionnaire
<a href="#">DHP</a>	Duke Health Profile
<a href="#">DHP-8</a>	Duke Health Profile-8
<a href="#">DHP-A</a>	DUKE Health Profile—Adolescent Version
<a href="#">DISABKIDS Smiley TAKE 6</a>	DISABKIDS Smiley questionnaire
<a href="#">DISABKIDS-37</a>	DISABKIDS Chronic Generic Module
<a href="#">EFQ</a>	Everyday Feeling Questionnaire
<a href="#">EHRQL</a>	Exeter Health-Related Quality of Life Measure
<a href="#">EQ-5D-3L</a>	EuroQoL Five Dimensions 3L
<a href="#">EQ-5D-5L</a>	EuroQoL Five Dimensions 5L
<a href="#">EQ-5D-Y</a>	EuroQoL five dimensions questionnaire (youth)

SAMPLE COPY - DO NOT USE

Questionnaire	Questionnaire full name	Description of the questionnaire	Link to the questionnaire	Link to the German version of questionnaire	Availability	Reference	Type of measure	Concept measured	Year of development	Country of development	Age group	Administration method	Dimensions covered	Answer scale	Number of items	Time to complete
15D	15D instrument of	A generic, compr	<a href="http://www.15d-instrun">http://www.15d-instrun</a>	For German vers free		Sintonen H, generic	HRQoL		1993	Finland	Adults (16	Primarily self-admin	mobility, visio	Ordinal, Li	15	5 min
AQoL-4D	Assessment of Qu	A family of generic	<a href="http://www.aqol.com">http://www.aqol.com</a>	Contact Centre f	free upon regist	Richardson J generic	HRQoL		1998	Australia	Adults	Self-reported, interv	Independent L	Ordinal, Li	12	1-2 min
AQoL-6D	Assessment of Qu	A family of generic	<a href="http://www.aqol.com">http://www.aqol.com</a>		free upon regist	Richardson J generic	HRQoL		2012	Australia	Adults and	Self-reported, interv	Independent L	Ordinal, Li	20	2-3 min
AQoL-7D	Assessment of Qu	A family of generic	<a href="http://www.aqol.com">http://www.aqol.com</a>		free upon regist	Misajon R, H generic	HRQoL		2005	Australia	Adults	Self-reported, interv	Independent L	Ordinal, Li	26	3-4 min
AQoL-8D	Assessment of Qu	A family of generic	<a href="http://www.aqol.com">http://www.aqol.com</a>		free upon regist	Richardson J generic	HRQoL		2009	Australia	Adults	Self-reported, interv	Independent L	Ordinal, Li	35	5 min
ASCOT - INT4	Adult Social Care CA	comprehensive,	<a href="https://www.pssru.ac.uk">https://www.pssru.ac.uk</a>	For the German	A licence is req	Netten A, B generic	Social Care-R		2012	UK	Adults	Interview	Personal clean	Ordinal, Li	23	no information
ASCOT - SCT4	Adult Social Care CA	comprehensive,	<a href="https://www.pssru.ac.uk">https://www.pssru.ac.uk</a>	For the German	A licence is req	Netten A, B generic	Social Care-R		2012	UK	Adults	Self-reported	Personal clean	Ordinal, Li	9	no information
ASCOT Carer INT4	Adult Social Care CA	multi-dimension	<a href="https://www.pssru.ac.uk">https://www.pssru.ac.uk</a>	For the German	A licence is req	Rand S, Mall generic	Social Care-R		2012	UK	Adults	Interview	Control over d	Ordinal, Li	21	no information
ASCOT Carer SCT4	Adult Social Care CA	multi-dimension	<a href="https://www.pssru.ac.uk">https://www.pssru.ac.uk</a>	For the German	A licence is req	Rand S, Mall generic	Social Care-R		2012	UK	Adults	Self-reported	Control over d	Ordinal, Li	7	no information
AUQUEI	Pictured Child's Q	A generic multi-dir	<a href="https://www.dovepress">https://www.dovepress</a>	For the German	free to use for s	Manificat, S generic	QoL		1997	France	Children	self-reported	Autonomy, Lei	Ordinal, Li	26	no information
BBQ	Brunsviken Brief	A self-rating scale	<a href="https://www.carlbring">https://www.carlbring</a>			The BBQ may be Lindner, P., I generic	Quality of Lif		2016	Sweden	Adults	Self-administrated	Leisure, View	Likert	12	no information
CarerQoL	Care-related Quali	A generic preferen	<a href="https://www.imta.nl/ca">https://www.imta.nl/ca</a>			The CarerQoL is Brouwer, W generic	QoL (care-rel		2006	Netherlands	Adults	self-administered	relational prot	Likert Scal	8	no information
CASP-12	Control, Autonomy	Version of CASP-1	<a href="https://casp19.com/">https://casp19.com/</a>			free to use; in c	Knesebeck C generic	Wellbeing	2005	UK	Older Adu	Self-reported	control, auton	Ordinal, Li	12	no information
CHQ-CF45	Child Health Quest	A family of generic	no information	For survey licen	The licence is re	Landgraf, J I generic	HRQoL		2018	USA	Children	self-administration	General health	Likert scal	45	4-11 min
CHQ-CF87	Child Health Quest	A family of generic	no information	For survey licen	The licence is re	Landgraf JM, generic	HRQoL		1990s	USA	Children	self-administration	General health	Likert scal	87	14 min
CHQ-PF28	Child Health Quest	A family of generic	no information	For survey licen	The licence is re	Landgraf JM, generic	HRQoL		1990s	USA	Children	Proxy	General health	Likert scal	28	5-10 min
CHQ-PF50	Child Health Quest	A family of generic	no information	For survey licen	The licence is re	Landgraf JM, generic	HRQoL		1990s	USA	Children	proxy	General health	Likert scal	50	10-15 min
DHP	Duke health profil	A 17-item self-rep	<a href="https://www.thenation">https://www.thenation</a>	Contact	Pattern Licensing agreee	Parkerson G generic	HRQoL		1990	USA	Adults	Self-reported or inte	Overall, physic	Liker Scal	17	less than 5 min
DHP-8	Duke health profil	An 8-item self-rep	<a href="https://communitycare">https://communitycare</a>	Contact	Pattern Licensing agreee	Parkerson G generic	HRQoL		2016	USA	Adults	Self-reported or inte	Overall, physic	Liker Scal	8	less than 5 min
DISABKIDS Smiley TAKE 6	DISABKIDS smiley	(A generic HRQoL-i	no information	For the German	Free to use for s	Chaplin JE, K generic	HRQoL		2008	Europe	Children	(interview (assisted-i	HRQoL	Ordinal, Li	6	2 minutes
DISABKIDS-37/DCGM-37	DISABKIDS Chronic	A health-related q	no information	For the German	Free to use for s	Petersen C, generic	HRQoL		2005	Europe	Children,	self-reported	Independence	Ordinal, Li	37	no information
EFQ	Everyday Feeling C	The Everyday Feel	<a href="http://www.youthnimir">http://www.youthnimir</a>			Paper versions r Uher, R., Go designed f	Wellbeing		2009	USA	Adults and	self-administered	worry and ten	Likert scal	10	no information
EQ-5D-3L	EuroQoL Five Dime	A family of generic	<a href="https://euroqol.org/reg">https://euroqol.org/reg</a>	For the German	Registration of s	The EuroQoL generic	HrQoL		1990	UK	Adults	Self-reported, via In	mobility, self-i	Ordinal, Li	3	1-2 min
EQ-5D-5L	EuroQoL Five Dime	A family of generic	<a href="https://euroqol.org/inf">https://euroqol.org/inf</a>	For the German	Registration of s	Herdman generic	HrQoL		2011	UK	Adults	Self-reported, via In	mobility, self-i	Ordinal, Li	5	2-3 min
EQ-5D-Y	EuroQoL five dimer	A family of generic	<a href="https://euroqol.org/inf">https://euroqol.org/inf</a>	For the German	Registration of s	Wille, Wad generic	HrQoL		2010	UK	Children	Self-reported, via In	mobility, looki	Ordinal, Li	3	no information
EQ-HWB	EQ Health and Wel	A standardised me	<a href="https://www.sciencedi">https://www.sciencedi</a>	For German vers	Currently only av	Broder J, Pe generic	Well-being		2022	United Kingd	Adults	Self-administrated	Activity, relati	Ordinal	25	no information
EQ-HWB-S	EQ Health and Wel	The short version c	<a href="https://www.sciencedi">https://www.sciencedi</a>	For German vers	Currently only av	Brazier J, Pe generic	Well-being		2022	United Kingd	Adults	Self-administrated	Activity, relati	Ordinal	9	no information
EUROHIS-QoL	8-item Quality of L	A generic 8-item sl	<a href="https://www.recovery">https://www.recovery</a>	To obtain a ques	No information	Schmidt, N generic	QoL		2006	International	Adults	self-reported	overall QOL, g	ordinal (Li	8	no information
FACIT-Sp	Functional Assessn	A comprehensive i	<a href="https://www.facit.org/">https://www.facit.org/</a>	Available trans	Permission for L	Webster, K., generic	well-being		1999	USA	Adults	Self-administered, i	physical well-t	Ordinal, Li	39	no information
FACIT-Sp-12	Functional Assessn	A 12-item short ve	<a href="https://www.facit.org/f">https://www.facit.org/f</a>	Available trans	Permission for L	Webster, K., generic	well-being		1999	USA	Adults	Self-administered, i	peace, meanin	Likert scal	12	no information
FS	Flourishing Scale	A brief 8-item sum	<a href="https://eddiener.com/s">https://eddiener.com/s</a>			The scale is for Diener, E., V generic	Wellbeing		2009	USA	Adults	Self-reported	meaningful lif	Likert Scal	8	3 min
HUI-2	Health Utilities Ind	A family of generic	<a href="http://www.healthutilit">http://www.healthutilit</a>	Contact	HUIInc S Much informati	Torrance, G generic	HRQoL		1996	Canada	Adults	Self-reported, proxy	Sensation, Mo	Ordinal, Li	15 (selfad	8-10min (self-administer
HUI-3	Health Utilities Ind	A family of generic	<a href="http://www.healthutilit">http://www.healthutilit</a>	Contact	HUIInc S Much informati	Feeny D, Fu generic	HRQoL		2002	Canada	Adults	Self-reported, proxy	Vision, Hearin	Ordinal, Li	16 (selfad	8-10min (self-administer
ICECAP-A	ICEpop CAPability	(A generic multidim	<a href="https://www.bristol.ac">https://www.bristol.ac</a>	To obtain a cop	Free for use; ho	Al-Janabi H, generic	Capability w		2012	UK	Adults	self-administered, p	attachment, st	Ordinal, Li	5	no information
ICECAP-O	ICEpop CAPability	(A generic multidim	<a href="https://www.bristol.ac">https://www.bristol.ac</a>			Free for use; ho	Grewal I, Lei generic	Capability w	2006	UK	Older adu	self-administered, p	attachment, se	Ordinal, Li	5	no information
ITQoL	Infant and Toddler	A generic parent-r	<a href="https://www.healthact">https://www.healthact</a>	For survey licen	The licence is re	Landgraf JM generic	HRQoL		1994	USA	Children	(Proxy	overall health, ordinal, li	97	20 minutes	
ITQoL-SF47	Infant and Toddler	A short version of	<a href="https://www.healthact">https://www.healthact</a>	For survey licen	The licence is re	Landgraf JM generic	HRQoL		1994	USA	Children	(Proxy	overall health, ordinal, li	47	10 minutes	

SAMPLE COPY



Back to Start

# 15D

## 15D instrument of health-related quality of life

A generic, comprehensive (15-dimensional), self-administered instrument for measuring health-related quality of life among adults (age 16+ years)

Date of meta-data: 3 Apr 2020

### BASIC CHARACTERISTICS

Year of first publication **1993**

Country of origin (language) **Finland**

Link to sample questionnaire

Main category of outcome measurement **QOL/Well-being**

Sub-category of outcome measurement **HRQoL**

Generic/Mental health specific **Generic**

Target age group **Adults**

No. of items **15**

Levels of answers **5**

Approximate time to complete **5 min**

Domains covered **Mobility, vision, hearing, breathing, sleeping, eating, speech, elimination, usual activities, mental function, discomfort, depression, distress, vitality and sexual activity**

Standard recall period **Day of completion**

Person completing instrument **Self-reported, Proxy-reported, Interviewer-**

Modes of administration **Paper-based, Computer-based**

Belongs to the family of instruments **15D**

Related instruments **16D**

Other language versions available **17D**

Approximate no. of known translations **Yes**

Approximate no. of known translations **32**

### References

JURKOWICZ, T. **Examining the Use of a fifteen-dimensional measure of health-related quality of life (15D) and its application.** In: Walker SF, Rosser RM, eds. *Quality of life assessment: Key issues in the 1990s.* Dordrecht: Kluwer Academic Publishers (1995, 1995)

[http://www.15d-instrument.net/site/assets/files/1002/15d\\_english](http://www.15d-instrument.net/site/assets/files/1002/15d_english)

<http://www.15d-instrument.net/15d/>

<http://www.15d-instrument.net/15d/languages/>  
Arabic, Bulgarian, Catalan, Chinese, Czech, Danish, Dutch, English, Estonian, Finnish, French, German, Greek, Hebrew, Hungarian, Icelandic, Italian, Japanese, Lithuanian, Malay, Norwegian, Polish, Portuguese, Russian, Serbian, Somali, Spanish, Swahili, Swedish,

### SCORING

Answer scale **Likert scale**

Level-sum scoring (min-max) **Not known**

Standardised scoring (min-max) **Not known**

Weighted preference-based scoring **Yes: The single index score (15D score) on a 0-1**

Approximate number of preference-based value sets **3**

Technique of valuation **YAS**

Availability of mapping studies **Yes**

Approximate number of mapping studies **12**

Finland <https://doi.org/10.3109/07853890109002086>  
Denmark [https://www.sdu.dk/-/media/files/om\\_sdu/centre/cohere/working-pap](https://www.sdu.dk/-/media/files/om_sdu/centre/cohere/working-pap)

EQ-5D-5L, SF-6D, HUI-3, QWB, AQoL-8D, DASS-21, K10, D-39, FIQR, MacNew, AQLQ-S, EORTC QLQ C30  
<https://doi.org/10.1177/10272989X15578127>

### AVAILABILITY OF VALIDATION

Validations in mental health diseases **Not known**

Approximate number of mental health disease areas **Not known**

### APPLICATION IN MULTI-SECTORAL, MULTI-NATIONAL, MULTI-PERSON (ECONOMIC) EVALUATIONS

Availability of separate adult and child/adolescents versions **Y**

Availability of a proxy-completion option **Y**

Mental Health

QOL

Recovery

Other wellbeing

Children

Adolescents

Adults

Age versions

Proxy

# AC-QoL

## Adult Carer Quality of Life

A questionnaire designed to exhaustively evaluate caregivers' experience, and capture both positive and negative aspects of caring covering eight dimensions

Date of meta-data: 18 May 2020

### BASIC CHARACTERISTICS

Year of first publication 2010  
Country of origin (language) UK  
Link to sample questionnaire

Main category of outcome measurement QOL/Well-being  
Sub-category of outcome measurement Care-related quality of life  
Generic/Mental health specific Generic  
Target age group Adults  
No. of items 40  
Levels of answers 4  
Approximate time to complete 10 min  
Domains covered Environmental aspects, represented by social support and financial resources; perceived burden, evaluated as stress and limitations in freedom and choices; caring related benefits, including personal growth, the feeling of being valued and appreciated by the care recipient, skills and competences, and satisfaction with caring

Standard recall period Past 2 weeks  
Person completing instrument Self-reported  
Modes of administration Paper-based  
Belongs to the family of instruments Not applicable  
Other language versions available Yes  
Approximate no. of known translations 3

### References

<https://doi.org/10.1108/13619321211270380>  
<https://www.emerald.com/insight/content/doi/10.1108/13619321211270380/full/html>

### SCORING

Answer scale Likert scale  
Level-sum scoring (min-max) Total scores range between 0 and 120. Low quality of life corresponds to 0-40 scores, mid-range quality of life to 41-80, and high quality of life to scores higher than 80  
Standardised scoring (min-max) Not known  
Weighted preference-based scoring No  
Approximate number of preference-based value Not applicable  
Technique of valuation Not applicable  
Availability of mapping studies Not known  
Approximate number of mapping studies Not applicable

### AVAILABILITY OF VALIDATION

Validation in mental health diseases Yes  
Approximate number of mental health disease areas 2  
Carers of children with mental and behavioural disorders  
<https://doi.org/10.1080/09638288.2017.1423519>; Carers of people with mental health difficulties

### APPLICATION IN MULTI-SECTORAL, MULTI-NATIONAL, MULTI-PERSON (ECONOMIC) EVALUATIONS

Availability of separate adult and child/adolescents versions N